

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Essence Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Automotive care products

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	carparts GmbH	
Street:	Vietorstraße 87	
Place:	D-51103 Köln	
Telephone:	+49 (0)221 28 58 58 -58	Telefax: +49 (0)221 28 58 58 -99
e-mail:	info@carparts-koeln.de	
Responsible Department:	info@carparts-koeln.de	

1.4. Emergency telephone number:

+49 (0)221 28 58 58 -58 (9:00-17:00 Mo-Fr)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 2 of 12

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
3555-47-3	1,1,5,5,5-hexamethyl-3,3-bis[(trimethylsilyl)oxy]trisiloxane			15 - < 20 %
	222-613-4			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha			15 - < 20 %
	265-150-3	649-327-00-6		
	Flam. Liq. 3, Asp. Tox. 1; H226 H304 EUH066			
8042-47-5	White mineral oil (petroleum)			7 - < 10 %
	232-455-8			
	Asp. Tox. 1; H304			
9002-92-0	Dodecan-1-ol, ethoxylated			1 - < 3 %
	500-002-6			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318			

Full text of H and EUH statements: see section 16.

Further Information

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha (CAS No. 64742-48-9):

Note P: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS-No. 200-753-7).

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 3 of 12

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.
When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide Nitrogen oxides (NO_x), Silicon dioxide (SiO₂)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 4 of 12

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, inhalable dust	-	10		TWA (8 h)	WEL
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 5 of 12

Breakthrough time \geq 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

Respiratory protection necessary at:

- Exceeding exposure limit values
- Insufficient ventilation. and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	white
Odour:	sweet

	Test method
pH-Value:	8

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	98 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	95 °C
Sustaining combustion:	No data available

Explosive properties

none

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined

Auto-ignition temperature

Gas:	not determined
Decomposition temperature:	not determined

Oxidizing properties

none

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 6 of 12

Vapour pressure:	not determined
Density:	1,1 g/cm ³
Water solubility:	miscible
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic: (at 20 °C)	29200 mPa·s KS A 0531 (2011)
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Reducing agent. Oxidizing agents. Strong acid. Strong alkali

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Silicon dioxide (SiO₂)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha				

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 7 of 12

	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	
	inhalation (4 h) aerosol	LC50	5,61 mg/l	Rat	ECHA Dossier	
8042-47-5	White mineral oil (petroleum)					
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	>2000	Rabbit.	ECHA Dossier	
	inhalation (4 h) aerosol	LC50	>5 mg/l	Rat	ECHA Dossier	
9002-92-0	Dodecan-1-ol, ethoxylated					
	oral	LD50 mg/kg	>2000	Rat	MSDS external	
	dermal	LD50 mg/kg	>2000	Rabbit	MSDS external	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha (CAS No. 64742-48-9):

In-vitro mutagenicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) ; Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: (dermal.) OECD Guideline 451

(Carcinogenicity Studies); Species: Mouse.; Length of test: 2 years; Result: negative. Literature information:

ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity

Study); Species: Rat; Result: NOAEL >= 20000 mg/kg; Literature information: ECHA Dossier

Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study);

Species: Rat Result: NOAEL = 239000 mg/kg; Literature information: ECHA Dossier

White mineral oil (petroleum) (CAS No. 8042-47-5):

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative.;

Literature information: ECHA Dossier; Carcinogenicity: Method: (oral.) OECD Guideline 453 Combined Chronic

Toxicity / Carcinogenicity Studies); Species: Rat; Length of test: 2 years; Result: NOAEL = 1200 mg/kg;

Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction /

Developmental Toxicity Screening Test); Species: Rat ; Results: NOAEL >= 1000 mg/kg. Literature information:

ECHA Dossier; Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental

Toxicity Study); Species: Rat; Results: NOAEL >= 5000 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha (CAS No. 64742-48-9):

Subchronic inhalative toxicity:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 8 of 12

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Exposure time: 2 years;
Species: Rat; Results: NOAEC = 1402 mg/m³; Literature information: ECHA Dossier

White mineral oil (petroleum) (CAS No. 8042-47-5):

Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat ; Results: NOAEL = 20000 ppm. Literature information: ECHA Dossier; Subchronic dermal toxicity:

Method: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study); Species: Rat.; Results: NOAEL

>2000 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha					
	Acute fish toxicity	LC50 LL50: 8,2 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 EL50: 3,1 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 EL50: 4,5 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Crustacea toxicity	NOEC NOELR: 2,6 mg/l	21 d	Daphnia magna	ECHA Dossier	
8042-47-5	White mineral oil (petroleum)					
	Acute fish toxicity	LC50 LL50: >1000 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute crustacea toxicity	EC50 LL50: >100 mg/l	48 h	Daphnia magna	ECHA Dossier	
9002-92-0	Dodecan-1-ol, ethoxylated					
	Acute fish toxicity	LC50 >0,1-1 mg/l	96 h	Danio rerio	MSDS external	
	Acute crustacea toxicity	EC50 >0,1-1 mg/l	48 h	Daphnia magna	MSDS external	
	Acute bacteria toxicity	(140 mg/l)		Activated sludge	MSDS external	

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
9002-92-0	Dodecan-1-ol, ethoxylated			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%	28	MSDS external
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 9 of 12

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	Not restricted
<u>14.2. UN proper shipping name:</u>	Not restricted
<u>14.3. Transport hazard class(es):</u>	Not restricted
<u>14.4. Packing group:</u>	Not restricted

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	Not restricted
<u>14.2. UN proper shipping name:</u>	Not restricted

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 10 of 12

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Marine transport (IMDG)

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Refer to section 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1,00; 11.11.2016, Initial release;
Rev. 2,00; 27.12.2017, Changes in chapter: 2-16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
AGW: Arbeitsplatzgrenzwert
AVV: Abfallverzeichnisverordnung
CAS Chemical Abstracts Service

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 11 of 12

CLP: Classification, Labelling and Packaging of substances and mixtures
 DNEL: Derived No Effect Level
 d: day(s)
 EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung
 EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
 ECHA: European Chemicals Agency
 EWC: European Waste Catalogue
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
 h: hour
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect level
 NLP: No-Longer Polymers
 N/A: not applicable
 OECD: Organisation for Economic Co-operation and Development
 PNEC: predicted no effect concentration
 PBT: Persistent bioaccumulative toxic
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 REACH: Registration, Evaluation, Authorisation of Chemicals
 SVHC: substance of very high concern
 TRGS Technische Regeln fuer Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe
 WGK: Wassergefaehrungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Essence Plus

Revision date: 27.12.2017

Product code:

Page 12 of 12

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)