

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BOUNCER'S DROP AND ROLL

Product code: BO-DAR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products). PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Bouncers Ltd
Unit 28, Space Business Centre
Smeaton Close
Alyesbury
Buckinghamshire
HP19 8FJ
United Kingdom
Tel: 07947-118-996
Email: jay@propa-protection.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1A: H317; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 2: H225; -: EUH066

Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: EUH066: Repeated exposure may cause skin dryness or cracking.
H225: Highly flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.

Hazard pictograms: GHS02: Flame
GHS07: Exclamation mark
GHS08: Health hazard

SAFETY DATA SHEET

BOUNCER'S DROP AND ROLL

Page: 2



Signal words: Danger

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.

2.3. Other hazards

Other hazards: Flammable. Irritating to eyes. Irritating to respiratory system. Irritating to skin. Harmful: may cause lung damage if swallowed.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
920-901-0	-	-	Asp. Tox. 1: H304; -: EUH066	30-50%

HYDROCARBONS, C12-C16, ISOALKANES, CYCLICS, <2% AROMATICS

927-676-8	-	-	Asp. Tox. 1: H304	30-50%
-----------	---	---	-------------------	--------

TRIETHOXYOCTYLSILANE

220-941-2	2943-75-1	-	Skin Irrit. 2: H315	1-10%
-----------	-----------	---	---------------------	-------

TRIMETHOXY (METHYL) SILANE

214-685-0	1185-55-3	-	Flam. Liq. 2: H225; Skin Sens. 1A: H317	1-10%
-----------	-----------	---	---	-------

OCTAMETHYLCYCLOTETRASILOXANE

209-136-7	556-67-2	-	Repr. 2: H361f; Aquatic Chronic 4: H413	1-10%
-----------	----------	---	---	-------

TITANIUM TETRABUTANOLATE

227-006-8	5593-70-4	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Dam. 1: H318	1-10%
-----------	-----------	---	---	-------

[cont...]

SAFETY DATA SHEET
BOUNCER'S DROP AND ROLL

Page: 3

METHANOL

200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370	<1%
-----------	---------	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance. Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.
Turn leaking containers leak-side up to prevent the escape of liquid.

[cont...]

SAFETY DATA SHEET

BOUNCER'S DROP AND ROLL

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	171	-	-	-

HYDROCARBONS, C12-C16, ISOALKANES, CYCLICS, <2% AROMATICS

UK	1200	-	-	-
----	------	---	---	---

METHANOL

UK	266 mg/m ³	333 mg/m ³	-	-
----	-----------------------	-----------------------	---	---

DNEL/PNEC Values

Hazardous ingredients:

OCTAMETHYLCYCLOTETRAILOXANE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	73 mg/m ³	Workers	Local

[cont...]

SAFETY DATA SHEET

BOUNCER'S DROP AND ROLL

Page: 5

DNEL	Inhalation	13 mg/m ³	Consumers	Local
DNEL	Oral	13 mg/m ³	Consumers	Local
DNEL	Oral	3.7 mg/kg/day	Consumers	Local
PNEC	Fresh water	0.00044 mg/l	-	Local
PNEC	Marine water	0.000044 mg/l	-	Local
PNEC	Fresh water sediments	0.128 mg/kg	-	Local
PNEC	Marine sediments	0.013 mg/kg	-	Local
PNEC	Soil (agricultural)	0.136 mg/kg	-	Local

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: The floor of the storage room must be impermeable to prevent the escape of liquids.
Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Pleasant

Evaporation rate: Fast

Oxidising: No data available.

Solubility in water: Not miscible

Viscosity: Non-viscous

Boiling point/range°C: <=35

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: <23

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: No data available.

pH: No data available.

VOC g/l: No data available.

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

[cont...]

SAFETY DATA SHEET
BOUNCER'S DROP AND ROLL

Page: 6

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS

DERMAL	RBT	LD50	5000	mg/kg
ORAL	RAT	LD50	5000	mg/kg
VAPOURS	HMN	-	171	ppmV
VAPOURS	RAT	4H LC50	2500	mg/kg

HYDROCARBONS, C12-C16, ISOALKANES, CYCLICS, <2% AROMATICS

VAPOURS	HMN	-	171	ppmV
---------	-----	---	-----	------

OCTAMETHYLCYCLOTETRASILOXANE

ORL	RAT	LD50	1540	mg/kg
SKN	RBT	LD50	794	µl/kg

METHANOL

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
--------	-------	-------

[cont...]

SAFETY DATA SHEET

BOUNCER'S DROP AND ROLL

Page: 7

Serious eye damage/irritation	OPT	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS

ALGAE	72H IC50	1000	mg/l
DAPHNIA	48H EC50	1000	mg/l
FISH	96H LC50	1000	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET
BOUNCER'S DROP AND ROLL

Page: 8

Section 14: Transport information

14.1. UN number

UN number: UN1987

14.2. UN proper shipping name

Shipping name: ALCOHOLS, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

[cont...]

SAFETY DATA SHEET
BOUNCER'S DROP AND ROLL

Page: 9

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H361f: Suspected of damaging fertility.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H413: May cause long lasting harmful effects to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.